

## Regional myocardial perfusion rates in patients with coronary artery disease

*J Clin Invest.* 1972;51(9):2f-3f. <https://doi.org/10.1172/JCI106892E1>.

Erratum

**Find the latest version:**

<https://jci.me/106892E1/pdf>



## ERRATUM

In Volume 51, No. 4

pp. 986-987, note changes (in italics) for conclusion  
of Table II which should read :

(TABLE II—

	<i>Left atrial region</i>			<i>Left ventricle</i>				
	<i>No. of crystals</i>	<i>F*</i>	<i>SD*</i>	<i>No. of crystals</i>	<i>F*</i>	<i>SD*</i>	<i>CV</i>	<i>SDM*</i>
33	—	—	—	25	28.4	9.7	34.2	8.0
38	4	32.0	9.7	50	41.2	10.4	25.2	6.2
39	3	69.7	11.8	38	93.9	16.0	17.1	6.8
40	7	78.3	17.0	51	58.5	26.8	45.8	9.7
41	2	56.0	2.8	32	58.4	10.9	18.7	9.2
42	5	45.0	11.6	40	41.3	12.9	31.2	6.8
	<i>Right atrial region</i>			<i>Right ventricle</i>				
	<i>No. of crystals</i>	<i>F*</i>	<i>SD*</i>	<i>No. of crystals</i>	<i>F*</i>	<i>SD*</i>	<i>SDM*</i>	
Normal right coronary artery studies								
LAO position								
4	5	25.0	4.1	19	40.2	8.9	6.8	
5	14	39.4	8.2	13	61.1	9.0	6.9	
7	5	25.0	4.7	10	41.9	9.4	6.0	
15	6	28.2	3.8	11	57.7	7.9	8.3	
20	5	29.2	7.2	9	40.6	12.8	7.8	
32	6	56.2	8.1	12	58.3	14.2	9.8	
34	7	35.1	7.3	11	51.9	11.8	9.8	
35	5	31.0	8.7	21	31.0	6.7	6.1	
Abnormal right coronary artery studies								
LAO position								
2	5	32.6	9.1	21	41.4	16.2	7.9	
8	8	37.4	13.7	23	38.5	8.9	6.3	
9	11	22.5	6.1	15	36.9	9.5	6.6	
10	8	40.3	11.9	14	32.2	8.4	6.2	
12	5	36.4	11.1	7	30.0	8.0	7.0	
13	8	27.5	7.8	24	28.1	8.5	6.8	
18	3	35.7	21.1	14	40.2	6.9	7.9	
29	6	42.2	6.5	22	33.5	7.8	6.8	

concluded)

Left ventricular regional flow estimates			Interpretation of arteriograms				Comments
LAD	LD	LC	LAD	LD	LC	RCA	
22.9	32.5	29.0	2C	2B	2B	2D	Multiple collaterals bridging LAD and LC obstructions and to RCA Collaterals from LC to RCA
38.4	45.3	47.6	2C	2B	2B	2D	
80.3	100.9	93.0	2C	1A	1B	1A	Some vessel distortion by anteriolateral aneurysm Collaterals bridge R coronary obstruction LC and LAD collaterals to R coronary
32.7	74.5	77.8	2D	0	1B	0	
60.6	55.7	57.5	2B	2A	2C	2D	
32.7	39.0	50.8	2C	2D	0	2D	

Left ventricle			Interpretation of arteriograms				Comments
No. of crystals	F*	SD*	RCA	LAD	LC	LD	
7	51.4	18.8	0	0	0	0	Nondominant RCA
18	83.9	11.1	0	0	0	0	
10	72.5	10.1	0	0	0	0	
12	83.2	9.2	0	0	0	0	
9	52.1	6.7	0	0	0	0	
6	69.3	19.0	0	0	0	0	
12	70.9	9.0	0	0	0	0	
—	—	—	1A	0	0	0	
0	0		2D	2C	0	0	
0	0		2C	2B	2A	1A	
9	43.4	5.4	0	2C	2C	1B	
0			2D	2B	1B	1B	
10	39.4	5.9	2B	2B	2C	2B	
0			2D	2B	1B	2B	
5	39.4	8.4	2B	2D	2B	2B	
0	0		2D	2B	2B	2B	

The Journal of Clinical Investigation is produced monthly at Prince & Lemon Streets, Lancaster, Pa. by The Rockefeller University Press, Post Office Box 5108, New York, N. Y. 10008. Subscription price \$45 per year (1973: \$60; postal surcharge Europe only, \$6 net). Second class postage paid at Lancaster, Pa.