

Original images for Blots


Full western blot gel panels

- (A) CEBPA p42 and p30 as well as TUBULIN from which the data in Figure 1E were derived.
- (B) CEBPA p42 and p30 as well as TUBULIN from which the data in Figure 1L were derived.
- (C) HES1 and TUBULIN from which the data in Figure S1M were derived.
- (D) HES1 and ACTB from which the data in Figure S1N were derived.
- (E) OPN and TUBULIN from which the data in Figure 4H were derived.
- (F) CEBPA p42 and p30, OPN and TUBULIN from which the data in Figure 5B were derived.
- (G) CEBPA p42 and p30, OPN and ACTB from which the data in Figure 5F were derived.
- (H) CEBPA p42 and p30 as well as TUBULIN from which the data in Figure S2B were derived.
- (I) CEBPA p42 and p30 as well as TUBULIN from which the data in Figure S4B were derived.
- (J) OPN and ACTB from which the data in Figure S5C were derived.
- (K) CEBPA p42 and TUBULIN from which the data in Figure S10A (left) were derived.
- (L) CEBPA p42 and TUBULIN from which the data in Figure S10A (right) were derived.
- (M) CEBPA p42 and TUBULIN from which the data in Figure S10F were derived.



Red encircled full blots, **Purple** encircled representative blots.

A


Human Livers




B



C





**Anti-FLAG
(HES1)**



TUBULIN


D






Red encircled full blots, **Purple** encircled representative blots.

E




Human Livers




F




G



H





I




J


HFCFD 2W




K



L




→ CEBPA p42



→ TUBULIN

M



TUBULIN
CEBPA p42