






**Full unedited gel for
Fig. 3G
SARS-CoV-2
Ladder and
subsequent 9 lanes
included in Fig 3G**




**Full unedited gel for
Fig. 5A
STAT1
Ladder and
subsequent 6 lanes
included in Fig 5A**




**Full unedited gel for Fig. 5A
pSTAT1
Ladder and subsequent 6
lanes included in Fig 5A**




**Full unedited gel for
Fig. 5A
MX1
Ladder and subsequent
6 lanes included in Fig
5A**




**Full unedited gel for
Fig. 5A
IRF9
Ladder and
subsequent 6 lanes
included in Fig 5A**




**Full unedited gel for
Fig. 5A
OAS2
Ladder and
subsequent 6 lanes
included in Fig 5A**




**Full unedited gel for
Fig. 5A
OAS3
Ladder and
subsequent 6 lanes
included in Fig 5A**




**Full unedited gel for
Fig. 5A
 α -tubulin
Ladder and
subsequent 6 lanes
included in Fig 5A**




Full unedited gel
for Fig. 6B
MX1
Ladder and
subsequent 11
lanes included in
Fig 6B




Full unedited gel
for Fig. 6B
STAT1
Ladder and
subsequent 11
lanes included in
Fig 6B




Full unedited gel
for Fig. 6B
pSTAT1
Ladder and
subsequent 11
lanes included
in Fig 6B




**Full unedited gel for
Fig. 6B
IRF9
Ladder and
subsequent 11 lanes
included in Fig 6B**




**Full unedited
gel for Fig. 6B
 α -tubulin
Ladder and
subsequent
11 lanes
included in
Fig 6B**




**Full unedited gel
for Fig. 6C
MX1
Ladder and
subsequent 11
lanes included in
Fig 6C**




**Full unedited gel for
Fig. 6C
IRF9
Ladder and
subsequent 11 lanes
included in Fig 6C**



**Full unedited gel for
Fig. 6C
pSTAT1
Ladder and
subsequent 11
lanes included in Fig
6C**




**Full unedited gel
for Fig. 6C
STAT1
Ladder and
subsequent 11
lanes included in
Fig 6C**




Full unedited gel for
Fig. 6C
 α -tubulin
Ladder and
subsequent 11
lanes included in
Fig 6C



Western blot control gels



Ancillary data: Total protein loading for western blots shown in Fig.5A of main manuscript. Above figure shows ponceau staining from iPSC-CM cell lysates. Proteins probed from these blots are shown.



Ancillary data: **(A)**Total protein loading for western blots shown in Fig.6B of main manuscript. Above figure shows ponceau staining from iPSC-CM cell lysates. Proteins probed from these blots are shown. **(B)** Additional blots used to construct bar graphs for fig. 6B in the main manuscript



Ancillary data: **(A)**Total protein loading for western blots shown in Fig.6C of main manuscript. Above figure shows ponceau staining from Engineered Heart Tissue cell lysates. Proteins probed from these blots are shown. **(B)** Additional blots used to construct bar graphs for fig. 6C in the main manuscript