

## References S1-S70

- S1. Lillioja, S., Mott, D.M., Howard, B.V., Bennett, P.H., Yki-Jarvinen, H., Freymond, D., Nyomba, B.L., Zurlo, F., Swinburn, B., and Bogardus, C. 1988. Impaired glucose tolerance as a disorder of insulin action. Longitudinal and cross-sectional studies in Pima Indians. *N Engl J Med* 318:1217-1225.
- S2. Kahn, S.E. 2003. The relative contributions of insulin resistance and beta-cell dysfunction to the pathophysiology of Type 2 diabetes. *Diabetologia* 46:3-19.
- S3. Gastaldelli, A., Ferrannini, E., Miyazaki, Y., Matsuda, M., and DeFronzo, R.A. 2004. Beta-cell dysfunction and glucose intolerance: results from the San Antonio metabolism (SAM) study. *Diabetologia* 47:31-39.
- S4. Ferrannini, E., Gastaldelli, A., Miyazaki, Y., Matsuda, M., Mari, A., and DeFronzo, R.A. 2005. beta-Cell function in subjects spanning the range from normal glucose tolerance to overt diabetes: a new analysis. *J Clin Endocrinol Metab* 90:493-500.
- S5. Pick, A., Clark, J., Kubstrup, C., Levisetti, M., Pugh, W., Bonner-Weir, S., and Polonsky, K.S. 1998. Role of apoptosis in failure of beta-cell mass compensation for insulin resistance and beta-cell defects in the male Zucker diabetic fatty rat. *Diabetes* 47:358-364.
- S6. Lipsett, M., and Finegood, D.T. 2002. beta-cell neogenesis during prolonged hyperglycemia in rats. *Diabetes* 51:1834-1841.
- S7. Milburn, J.L., Jr., Hirose, H., Lee, Y.H., Nagasawa, Y., Ogawa, A., Ohneda, M., BeltrandelRio, H., Newgard, C.B., Johnson, J.H., and Unger, R.H. 1995. Pancreatic beta-cells in obesity. Evidence for induction of functional, morphologic, and metabolic abnormalities by increased long chain fatty acids. *J Biol Chem* 270:1295-1299.
- S8. Kitamura, T., Nakae, J., Kitamura, Y., Kido, Y., Biggs, W.H., 3rd, Wright, C.V., White, M.F., Arden, K.C., and Accili, D. 2002. The forkhead transcription factor Foxo1 links insulin

signaling to Pdx1 regulation of pancreatic beta cell growth. *J Clin Invest* 110:1839-1847.

- S9. Bernal-Mizrachi, E., Wen, W., Stahlhut, S., Welling, C.M., and Permutt, M.A. 2001. Islet beta cell expression of constitutively active Akt1/PKB alpha induces striking hypertrophy, hyperplasia, and hyperinsulinemia. *J Clin Invest* 108:1631-1638.
- S10. White, M.F. 2002. IRS proteins and the common path to diabetes. *Am J Physiol Endocrinol Metab* 283:E413-422.
- S11. Park, S., Dong, X., Fisher, T.L., Dunn, S., Omer, A.K., Weir, G., and White, M.F. 2006. Exendin-4 uses Irs2 signaling to mediate pancreatic beta cell growth and function. *J Biol Chem* 281:1159-1168.
- S12. Buteau, J., Roduit, R., Susini, S., and Prentki, M. 1999. Glucagon-like peptide-1 promotes DNA synthesis, activates phosphatidylinositol 3-kinase and increases transcription factor pancreatic and duodenal homeobox gene 1 (PDX-1) DNA binding activity in beta (INS-1)-cells. *Diabetologia* 42:856-864.
- S13. Buteau, J., Foisy, S., Rhodes, C.J., Carpenter, L., Biden, T.J., and Prentki, M. 2001. Protein kinase C $\zeta$  activation mediates glucagon-like peptide-1-induced pancreatic beta-cell proliferation. *Diabetes* 50:2237-2243.
- S14. Briscoe, C.P., Tadayyon, M., Andrews, J.L., Benson, W.G., Chambers, J.K., Eilert, M.M., Ellis, C., Elshourbagy, N.A., Goetz, A.S., Minnick, D.T., et al. 2003. The orphan G protein-coupled receptor GPR40 is activated by medium and long chain fatty acids. *J Biol Chem* 278:11303-11311.
- S15. Dor, Y., Brown, J., Martinez, O.I., and Melton, D.A. 2004. Adult pancreatic beta-cells are formed by self-duplication rather than stem-cell differentiation. *Nature* 429:41-46.
- S16. Newgard, C.B., and McGarry, J.D. 1995. Metabolic coupling factors in pancreatic beta-cell signal transduction. *Annu Rev Biochem* 64:689-719.

- S17. Ashcroft, F.M., and Rorsman, P. 1990. ATP-sensitive K<sup>+</sup> channels: a link between B-cell metabolism and insulin secretion. *Biochem Soc Trans* 18:109-111.
- S18. Lu, D., Mulder, H., Zhao, P., Burgess, S.C., Jensen, M.V., Kamzolova, S., Newgard, C.B., and Sherry, A.D. 2002. <sup>13</sup>C NMR isotopomer analysis reveals a connection between pyruvate cycling and glucose-stimulated insulin secretion (GSIS). *Proc Natl Acad Sci U S A* 99:2708-2713.
- S19. Flamez, D., Berger, V., Kruhoffer, M., Orntoft, T., Pipeleers, D., and Schuit, F.C. 2002. Critical role for cataplerosis via citrate in glucose-regulated insulin release. *Diabetes* 51:2018-2024.
- S20. Cockburn, B.N., Ostrega, D.M., Sturis, J., Kubstrup, C., Polonsky, K.S., and Bell, G.I. 1997. Changes in pancreatic islet glucokinase and hexokinase activities with increasing age, obesity, and the onset of diabetes. *Diabetes* 46:1434-1439.
- S21. Edvell, A., and Lindstrom, P. 1998. Vagotomy in young obese hyperglycemic mice: effects on syndrome development and islet proliferation. *Am J Physiol* 274:E1034-1039.
- S22. Hagman, D.K., Hays, L.B., Parazzoli, S.D., and Poitout, V. 2005. Palmitate inhibits insulin gene expression by altering PDX-1 nuclear localization and reducing MafA expression in isolated rat islets of Langerhans. *J Biol Chem* 280:32413-32418.
- S23. Li, Y., Cao, X., Li, L.X., Brubaker, P.L., Edlund, H., and Drucker, D.J. 2005. beta-Cell Pdx1 expression is essential for the glucoregulatory, proliferative, and cytoprotective actions of glucagon-like peptide-1. *Diabetes* 54:482-491.
- S24. Leahy, J.L., Chen, C., and Rhodes, C.J. 1998. How is the insulin content regulated in nondiabetic hyperinsulinaemic, insulin resistant states? Study of spontaneously hypertensive rats. *Diabetologia* 41:855-859.
- S25. Goodge, K.A., and Hutton, J.C. 2000. Translational regulation of proinsulin biosynthesis and

proinsulin conversion in the pancreatic beta-cell. *Semin Cell Dev Biol* 11:235-242.

- S26. Hirose, H., Lee, Y.H., Inman, L.R., Nagasawa, Y., Johnson, J.H., and Unger, R.H. 1996. Defective fatty acid-mediated beta-cell compensation in Zucker diabetic fatty rats. Pathogenic implications for obesity-dependent diabetes. *J Biol Chem* 271:5633-5637.
- S27. Shimabukuro, M., Higa, M., Zhou, Y.T., Wang, M.Y., Newgard, C.B., and Unger, R.H. 1998. Lipoapoptosis in beta-cells of obese prediabetic fa/fa rats. Role of serine palmitoyltransferase overexpression. *J Biol Chem* 273:32487-32490.
- S28. Shimabukuro, M., Zhou, Y.T., Levi, M., and Unger, R.H. 1998. Fatty acid-induced beta cell apoptosis: a link between obesity and diabetes. *Proc Natl Acad Sci U S A* 95:2498-2502.
- S29. Zhou, Y.T., Shimabukuro, M., Lee, Y., Koyama, K., Higa, M., Ferguson, T., and Unger, R.H. 1998. Enhanced de novo lipogenesis in the leptin-unresponsive pancreatic islets of prediabetic Zucker diabetic fatty rats: role in the pathogenesis of lipotoxic diabetes. *Diabetes* 47:1904-1908.
- S30. Kakuma, T., Lee, Y., Higa, M., Wang, Z., Pan, W., Shimomura, I., and Unger, R.H. 2000. Leptin, troglitazone, and the expression of sterol regulatory element binding proteins in liver and pancreatic islets. *Proc Natl Acad Sci U S A* 97:8536-8541.
- S31. Pold, R., Jensen, L.S., Jessen, N., Buhl, E.S., Schmitz, O., Flyvbjerg, A., Fujii, N., Goodyear, L.J., Gotfredsen, C.F., Brand, C.L., et al. 2005. Long-term AICAR administration and exercise prevents diabetes in ZDF rats. *Diabetes* 54:928-934.
- S32. Leibowitz, G., Yuli, M., Donath, M.Y., Nesher, R., Melloul, D., Cerasi, E., Gross, D.J., and Kaiser, N. 2001. beta-cell glucotoxicity in the Psammomys obesus model of type 2 diabetes. *Diabetes* 50 Suppl 1:S113-117.
- S33. Donath, M.Y., Gross, D.J., Cerasi, E., and Kaiser, N. 1999. Hyperglycemia-induced beta-cell apoptosis in pancreatic islets of Psammomys obesus during development of diabetes. *Diabetes*

48:738-744.

- S34. Hoorens, A., Van de Casteele, M., Kloppel, G., and Pipeleers, D. 1996. Glucose promotes survival of rat pancreatic beta cells by activating synthesis of proteins which suppress a constitutive apoptotic program. *J Clin Invest* 98:1568-1574.
- S35. Collins, S., Martin, T.L., Surwit, R.S., and Robidoux, J. 2004. Genetic vulnerability to diet-induced obesity in the C57BL/6J mouse: physiological and molecular characteristics. *Physiol Behav* 81:243-248.
- S36. Coleman, D.L., and Hummel, K.P. 1973. The influence of genetic background on the expression of the obese (Ob) gene in the mouse. *Diabetologia* 9:287-293.
- S37. Surwit, R.S., Kuhn, C.M., Cochrane, C., McCubbin, J.A., and Feinglos, M.N. 1988. Diet-induced type II diabetes in C57BL/6J mice. *Diabetes* 37:1163-1167.
- S38. Barrett, T.G. 2001. Mitochondrial diabetes, DIDMOAD and other inherited diabetes syndromes. *Best Pract Res Clin Endocrinol Metab* 15:325-343.
- S39. O'Rahilly, S., Farooqi, I.S., Yeo, G.S., and Challis, B.G. 2003. Minireview: human obesity-lessons from monogenic disorders. *Endocrinology* 144:3757-3764.
- S40. Sreenan, S.K., Zhou, Y.P., Otani, K., Hansen, P.A., Currie, K.P., Pan, C.Y., Lee, J.P., Ostrega, D.M., Pugh, W., Horikawa, Y., et al. 2001. Calpains play a role in insulin secretion and action. *Diabetes* 50:2013-2020.
- S41. Hani, E.H., Boutin, P., Durand, E., Inoue, H., Permutt, M.A., Velho, G., and Froguel, P. 1998. Missense mutations in the pancreatic islet beta cell inwardly rectifying K<sup>+</sup> channel gene (KIR6.2/BIR): a meta-analysis suggests a role in the polygenic basis of Type II diabetes mellitus in Caucasians. *Diabetologia* 41:1511-1515.
- S42. van Dam, R.M., Hoebee, B., Seidell, J.C., Schaap, M.M., de Bruin, T.W., and Feskens, E.J. 2005. Common variants in the ATP-sensitive K<sup>+</sup> channel genes KCNJ11 (Kir6.2) and ABCC8

- (SUR1) in relation to glucose intolerance: population-based studies and meta-analyses. *Diabet Med* 22:590-598.
- S43. Yi, F., Brubaker, P.L., and Jin, T. 2005. TCF-4 mediates cell type-specific regulation of proglucagon gene expression by beta-catenin and glycogen synthase kinase-3beta. *J Biol Chem* 280:1457-1464.
- S44. Levisetti, M.G., and Polonsky, K.S. 2005. Diabetic pancreatic beta cells ARNT all they should be. *Cell Metab* 2:78-80.
- S45. Patti, M.E., Butte, A.J., Crunkhorn, S., Cusi, K., Berria, R., Kashyap, S., Miyazaki, Y., Kohane, I., Costello, M., Saccone, R., et al. 2003. Coordinated reduction of genes of oxidative metabolism in humans with insulin resistance and diabetes: Potential role of PGC1 and NRF1. *Proc Natl Acad Sci U S A* 100:8466-8471.
- S46. Petersen, K.F., Befroy, D., Dufour, S., Dziura, J., Ariyan, C., Rothman, D.L., DiPietro, L., Cline, G.W., and Shulman, G.I. 2003. Mitochondrial dysfunction in the elderly: possible role in insulin resistance. *Science* 300:1140-1142.
- S47. Morino, K., Petersen, K.F., Dufour, S., Befroy, D., Frattini, J., Shatzkes, N., Neschen, S., White, M.F., Bilz, S., Sono, S., et al. 2005. Reduced mitochondrial density and increased IRS-1 serine phosphorylation in muscle of insulin-resistant offspring of type 2 diabetic parents. *J Clin Invest* 115:3587-3593.
- S48. Hales, C.N., and Barker, D.J. 1992. Type 2 (non-insulin-dependent) diabetes mellitus: the thrifty phenotype hypothesis. *Diabetologia* 35:595-601.
- S49. Mericq, V., Ong, K.K., Bazaes, R., Pena, V., Avila, A., Salazar, T., Soto, N., Iniguez, G., and Dunger, D.B. 2005. Longitudinal changes in insulin sensitivity and secretion from birth to age three years in small- and appropriate-for-gestational-age children. *Diabetologia* 48:2609-2614.
- S50. Hales, C.N., Barker, D.J., Clark, P.M., Cox, L.J., Fall, C., Osmond, C., and Winter, P.D. 1991.

Fetal and infant growth and impaired glucose tolerance at age 64. *Bmj* 303:1019-1022.

- S51. Rich-Edwards, J.W., Colditz, G.A., Stampfer, M.J., Willett, W.C., Gillman, M.W., Hennekens, C.H., Speizer, F.E., and Manson, J.E. 1999. Birthweight and the risk for type 2 diabetes mellitus in adult women. *Ann Intern Med* 130:278-284.
- S52. Pettitt, D.J., Aleck, K.A., Baird, H.R., Carraher, M.J., Bennett, P.H., and Knowler, W.C. 1988. Congenital susceptibility to NIDDM. Role of intrauterine environment. *Diabetes* 37:622-628.
- S53. Silverman, B.L., Metzger, B.E., Cho, N.H., and Loeb, C.A. 1995. Impaired glucose tolerance in adolescent offspring of diabetic mothers. Relationship to fetal hyperinsulinism. *Diabetes Care* 18:611-617.
- S54. Simmons, R.A., Templeton, L.J., and Gertz, S.J. 2001. Intrauterine growth retardation leads to the development of type 2 diabetes in the rat. *Diabetes* 50:2279-2286.
- S55. Boloker, J., Gertz, S.J., and Simmons, R.A. 2002. Gestational diabetes leads to the development of diabetes in adulthood in the rat. *Diabetes* 51:1499-1506.
- S56. Patel, M.S., Srinivasan, M., and Aalinkeel, R. 2000. Metabolic programming by nutrition during early development. *Indian J Exp Biol* 38:849-855.
- S57. Brown, J.E., Thomas, S., Digby, J.E., and Dunmore, S.J. 2002. Glucose induces and leptin decreases expression of uncoupling protein-2 mRNA in human islets. *FEBS Lett* 513:189-192.
- S58. Masiello, P., Novelli, M., Bombara, M., Fierabracci, V., Vittorini, S., Prentki, M., and Bergamini, E. 2002. The antilipolytic agent 3,5-dimethylpyrazole inhibits insulin release in response to both nutrient secretagogues and cyclic adenosine monophosphate agonists in isolated rat islets. *Metabolism* 51:110-114.
- S59. Maedler, K., Spinas, G.A., Dyntar, D., Moritz, W., Kaiser, N., and Donath, M.Y. 2001. Distinct effects of saturated and monounsaturated fatty acids on beta-cell turnover and function. *Diabetes* 50:69-76.

- S60. Kahn, B.B., Alquier, T., Carling, D., and Hardie, D.G. 2005. AMP-activated protein kinase: ancient energy gauge provides clues to modern understanding of metabolism. *Cell Metab* 1:15-25.
- S61. Yamauchi, T., Kamon, J., Minokoshi, Y., Ito, Y., Waki, H., Uchida, S., Yamashita, S., Noda, M., Kita, S., Ueki, K., et al. 2002. Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase. *Nat Med* 8:1288-1295.
- S62. Kadowaki, T., and Yamauchi, T. 2005. Adiponectin and adiponectin receptors. *Endocr Rev* 26:439-451.
- S63. Hardy, S., Langelier, Y., and Prentki, M. 2000. Oleate activates phosphatidylinositol 3-kinase and promotes proliferation and reduces apoptosis of MDA-MB-231 breast cancer cells, whereas palmitate has opposite effects. *Cancer Res* 60:6353-6358.
- S64. Shi, Y., Taylor, S.I., Tan, S.L., and Sonenberg, N. 2003. When translation meets metabolism: multiple links to diabetes. *Endocr Rev* 24:91-101.
- S65. Bollheimer, L.C., Skelly, R.H., Chester, M.W., McGarry, J.D., and Rhodes, C.J. 1998. Chronic exposure to free fatty acid reduces pancreatic beta cell insulin content by increasing basal insulin secretion that is not compensated for by a corresponding increase in proinsulin biosynthesis translation. *J Clin Invest* 101:1094-1101.
- S66. Harding, H.P., and Ron, D. 2002. Endoplasmic reticulum stress and the development of diabetes: a review. *Diabetes* 51 Suppl 3:S455-461.
- S67. Kosaka, K., Kuzuya, T., Akanuma, Y., and Hagura, R. 1980. Increase in insulin response after treatment of overt maturity-onset diabetes is independent of the mode of treatment. *Diabetologia* 18:23-28.
- S68. Robertson, R.P., Harmon, J., Tran, P.O., and Poyntout, V. 2004. Beta-cell glucose toxicity, lipotoxicity, and chronic oxidative stress in type 2 diabetes. *Diabetes* 53 Suppl 1:S119-124.



- S69. Thomas, M.C., Forbes, J.M., and Cooper, M.E. 2005. Advanced glycation end products and diabetic nephropathy. *Am J Ther* 12:562-572.
- S70. Welsh, N., Cnop, M., Kharroubi, I., Bugliani, M., Lupi, R., Marchetti, P., and Eizirik, D.L. 2005. Is there a role for locally produced interleukin-1 in the deleterious effects of high glucose or the type 2 diabetes milieu to human pancreatic islets? *Diabetes* 54:3238-3244.