

Supplemental Table I - Oligonucleotide primer sequences used for Real-time PCR

Gene	Forward/Reverse	Primer (5' to 3')
GAPDH	Forward	CTACACTGAGGACCAGGTTGTCT
	Reverse	GGTCTGGGATGGAAATTGTG
CD73	Forward	CCTCTCAAATCCAGGGACAA
	Reverse	TTTGGAAGGTGGATTTCTCTG
A ₁ receptor	Forward	TGTGACCACCACCCAGAGTA
	Reverse	GCAGAGACTGGGACAAGGAG
A _{2A} receptor	Forward	GAAGCAGATGGAGAGCCAAC
	Reverse	GAGAGGATGATGGCCAGGTA
A _{2B} receptor	Forward	CCTTTGGCATTGGATTGACT
	Reverse	AAAATGCCCACGATCATAGC
A ₃ receptor	Forward	TCATACCGGAAGGAATGAGC
	Reverse	AGCTTGACCACCCAGATGAC
ACL	Forward	GAAGCTGACCTTGCTGAACC
	Reverse	CTGCCTCCAATGATGAGGAT
FAS	Forward	TGGGTTCTAGCCAGCAGAGT
	Reverse	ACCACCAGAGACCGTTATGC
AAC	Forward	GCCTCTTCCTGACAAACGAG
	Reverse	TGACTGCCGAAACATCTCTG
CTPI	Forward	GTCGCTTCTTCAAGGTCTGG
	Reverse	AAGAAAGCAGCACGTTTCGAT
SREBP1	Forward	GATCAAAGAGGAGCCAGTGC
	Reverse	TAGATGGTGGCTGCTGAGTG
PPAR α	Forward	ATGCCAGTACTGCCGTTTTTC
	Reverse	GGCCTTGACCTTGTTTCATGT
PPAR γ	Forward	AAGAGCTGACCCAATGGTTG
	Reverse	ACCCTTGCATCCTTCACAAG